

#193

IVANOVSKAYA IT.
TO

Begin

#193

IVANOVSKAYA IT.
TO

USSR/Chemistry - Tungsten, Thoriated Apr 1948
Chemistry - Dissociation of Hydrogen

Some Dissociation of Hydrogen on Pure and Thoriated
Tungsten, T. Ivanovskaya, I. Mochan, Physikochem
Inst, Acad Sci USSR, Leningrad, 5 pp

"Zhur. fiz. Khim" Vol XXII, No 4

Observe dissociation of molecular hydrogen on an
incandescent surface of pure and thoriated tungsten
at various temperatures and with various coatings
of thorium. Draw conclusion that dissociation
over thoriated tungsten occurs with greater energy
of activation. Show that the speed of dissociation
of activation. 67712

USSR/Chemistry - Tungsten, Thoriated Apr 1948
(Contd)

tion drops in accordance with increase in propor-
tion of the surface taken up by thorium. Sub-
mitted 1947.

IVANOVSKAYA, T.

67712

Ivanovskaya, Tat'yana Lvovna

Effect of 2,4-D on tomatoes. T. L. Ivanovskaya.
Agrobiologiya 1949, No. 5, 113-26. Tomato plants in
pots sprayed with 2,4-D (10 mg. per l.) showed deforma-
tion of foliage after 28 days, whereas after 48 days there was
no deformation even with a concn. of 100 mg. per l. In
general, up to blooming the plants recover much better
from effects of 2,4-D, if placed in a favorable environment.
After blooming and fruit setting the plants do not respond
so well to improved environmental conditions. Changes
produced in tomato plants by 2,4-D treatment can be in-
duced by inoculating healthy plants with the juices of
plants treated with 2,4-D. J. S. Joffe

Inst. Genetics, AS USSR

Lemon

Fruit bearing of a lemon seedling in Moscow. Agrobiologia no. 4, 1952.

Monthly List of Russian Accessions. Library of Congress, November 1952. UNCLASSIFIED

1. IVANOVSKAYA, T. L.
2. USSR 600
4. Plants, Effect of Chemicals on
7. Effect of 2,4-dichlorophenoxyacetic acid on tomatoes, Trudy Inst. gen, No. 19, 1952.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

1. T. L. IVANOVSKAYA
 2. USSR (600)
 4. Botany - Physiology
 7. Dormant period of plants. Est. v. shkole no. 1. 1953.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

IVANOVSKAYA, T.

"The Pregermination Period of Plants. Tr. From the Russian. (PRIRODA I ZNANIE) Vol. 6
No. 6, June 1953.

SO: Monthly List of East European Accessions L. C., Vol 2, No. 11, Nov. 1953, Uncl.

IVANOVSKAYA, T.L.

Germination and productivity of cotton plants depending upon the
duration of storage of seeds. Trudy Inst.gen. no.20:70-74 '53.

(MLRA 7:1)

(Cotton growing)

IVANOVSKAYA, T.L.

Length of time for the formation of fruit-bearing organs, and the fluctuation of seed and fiber characteristics depending upon the position of the ball on the cotton plant. Trudy Inst.gen. no.20: 75-89 '53.

(MLRA 7:1)

(Cotton growing)

IVANOVSKAYA, T.I.

Influence of pre-sowing treatment of kok-saghiz seeds upon plant development. Trudy Inst.gen. no.20:90-93 '53. (MLRA 7:1)

(Kok-saghiz)

M

USSR/Cultivated Plants. Cereals.

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77648.

Author : ~~Ivanovskaya, T.L.~~; Fedotova, M.M.

Inst :

Title : Formation of Tubercles on the Roots of Soy in a Vegetation Experiment.

Orig Pub: Agrobiologiya, 1956, No 6, 29-34.

Abstract: In experiments of the Institute of Genetics AS USSR with soy and lupine, the possibility was studied of formation of tubercles on the roots of these plants in soils on which neither had ever been cultivated. Before sowing, the seeds were sterilized with sulfuric acid (1.5 minutes in acid of specific weight 1.84). In the course of the vegetative period each crop was cultivated

Card : 1/3

44

Inst. Genetics AS USSR

USSR/Cultivated Plants. Cereals.

M

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77648.

twice, so that for two years the experiments were variants with sowing four times in the same containers. Both in the first and second year of the experiment, tubercles were not formed on the roots of the soy and lupine. They did not appear with sowing with non-sterile seeds. Tubercles are normally formed in the first year on these soils in peas and beans. For the creation of a poorer base, in the second year half the soil was mixed with river sand in 50% of the vessels before sowing. In addition, an additional experiment was established with cultivation of plants on pure sand. In these variants, the tubercles were formed on the roots of the lupine and soy; in the soy, they were a non-typical form for this plant. With repeated cultiva-

Card : 2/3

IVANOVSKAJA, T.L.; GAVRILOVA, N.S.

Effectiveness of localized surface placement of organomineral
fertilizers for beets and eggplants. Agrobiologia no.6:93-97
N-D '58. (MIRA 12:1)

1. Institut genetiki AN SSSR, g. Moskva.
(Sugar beets--Fertilizers and manures)
(Eggplant--Fertilizers and manures)

USSR/General Biology - Evolution.

B

Abs Jour : Ref Zhur Biol., No 6, 1959, 23709

Author : Ivanovskaya, T.L.

Inst : Institute of Genetics, Academy of Sciences USSR

Title : On the Problem of Intravariety Relations in Plants.

Orig Pub : Tr. In-ta genet. AN SSSR, 1956, No 23, 100-136

Abstract : The results of many experiments with monovaried and mixed, spaced and crowded plantings of various plants are cited. Underdevelopment and perishing of many individual plants in the conditions of crowding are explained by natural change, biologically useful self-specing, and action of external conditions. Due to the perishing of unnecessary individual plants the author was not able to artificially create overcrowding and; on this basis, the conclusion is reached that there is no overcrowding nor intervariety struggle. -- G.N. Miroshnichenko

Card 1/1

- 40 -

IVANOVSKAYA, T.L., kand.sel'skokhozyaystvennykh nauk

Plant growing experiments for investigating the formation of
nodules on soybean roots. Agrobiologiya no.1:23-36 Ja-F '59.
(MIRA 12:4)

1. Institut genetiki AN SSSR.
(Soybean)
(Micro-organisms, Nitrogen-fixing)

IVANOVSKAYA, T.L.

Fruit-bearing lemon seedlings in Moscow. Trudy Inst. gen.
no. 27:120-130 '60. (MIRA 13:12)
(Moscow--Lemon)

IVANOVSKAYA, T.L., kand. sel'skokhoz. nauk

Accretion of roots in oak. Agrobiologiya no.5:756-762
S-O'63. (MIRA 17:5)

1. Institut genetiki AN SSSR.

IVANOVSKAYA, T.L.

Method for planting oak in clusters on a spot at the Exhibition
of the Achievements of the National Economy of the U.S.S.R. Trudy
Inst. gen. no.31:96-118 '64. (MIRA 17:9)

IVANOVSKAYA, T.L.

Method of growing oak in clusters at the Exhibition of Achievements
of the National Economy of the U.S.S.R. Agrobiologiya no.6:919-931
N-D '64. (MIRA 18:2)

PARLASHKEVICH, N.Ya.; GRIBKOVA, R.N.; BIL'DINA, V.P.; IVANOVSKAYA, T.S.

New method of determining chlorine in poly (vinyl chloride) and
other chlorine-containing polymers, Plast.massy no.6:55-56 '61.
(MIRA 14:5)
(Chlorine--Analysis) (Polymers)

IVANOVSKAYA, T.V.

5713. IVANOVSKAYA T. V. Inst. of Pharmacol., Med. Inst. Molotov, USSR.

*Influence of ascorbic acid and of vitamin 'B' complex upon the course of ether anaesthesia (Russian text) EKSPER. KHIR. 1956, 1956, 2 (50-57)

Experiments on rabbits showed that vitamin complex (C in doses of 40 mg./kg., PP in doses of 5 mg./kg. and B₂ in doses of 0.4 mg./kg.) administered about one hour before ether anaesthesia, interfered with the course of anaesthesia by producing an 'awakening' action. During the ether anaesthesia the animals showed a less pronounced slowing down of the respiration and pulse rate, a fall of the temperature, hyperglycaemia and acidosis. When vit. C is excluded from the vitamin complex the 'awakening' action disappears without any influence upon the other factors mentioned. After the stage of excitation, no influence is exerted upon the course of ether anaesthesia by vit. C, PP and B₂. References 18.

Shanin - Leningrad

K. M. Gorbunova and T. V. Ivanovskaya. The thickness of the elementary layers of growth on the face of crystals according to data of microinterferometric measurements. P. 1039.

In this work were investigated the elementary layers of growth on the faces of microcrystals of silver grown on a platinum cathode during electrolysis of 3N solution of AgNO_3 at varying current density up to 1×10^{-4} A.

Institute of Physical Chemistry of the
Acad. of Sciences U.S.S.R.
Lab. of the Structure of Surface Layers,
Moscow
December 27, 1947

SO: Journal of Physical Chemistry (USSR) 22, No. 9, 1948

IVANOVSKAYA, T. V.

PA 190T21

USSR/Chemistry - Electrolytic Deposition Aug 51

"Structure of Bright Electrolytic Deposits and Mechanism of Their Formation. Electron-Microscopic and Electronographic Investigation of Bright Nickel and Zinc Coatings," K. M. Gorbunova, T. V. Ivanovskaya, N. A. Shishakov, Inst Phys Chem, Moscow, Acad Sci USSR

"Zhur Fiz Khim" Vol XXV, No 8, pp 981-987

Finds that bright cathodically deposited metal coatings form as result of electrolytic polishing which occurs when the metal surface is covered

LC

190T21

USSR/Chemistry - Electrolytic Deposition Aug 51

(Contd)

with sufficiently thick film of hydroxide. Presence of film is also essential in anodic polishing in order that a bright surface may form.

LC

190T21

IVANOVSKAYA, T. V.

USSR/Chemistry

Card 1/1

Authors : Ivanovskaya, T. V.

Title : Features of electrolytic separation of metals of the iron group

Periodical : Zhur. Fiz. Khim, 28, Ed. 3, 567, March 1954

Abstract : According to modern ideas both atoms and ions of metals belonging to the iron group have a resultant spin moment which is different from zero. The presence of such moment in the atoms and ions of these metals is explained by their electrochemical behavior. The electro-chemical behavior of metals of the iron group is based on the structure of the atoms of these metals. The organization of the nucleus of the new phase (elementary nucleus) from particles having a resultant moment, different from zero, should be a much complicated process as compared with such process as compared with such process for particles not having the moment.

Institution : Acad. of Sc. USSR, Institute of Physical Chemistry

Submitted : Nov. 17, 1953

IVANOVSKAYA, T. V.

IVANOVSKAYA, T. V. — "On Certain Laws of the Growth of Crystals in Electrolysis, which Determine the Luster of Metallic Coverings." Min Higher Education USSR. Moscow Order of Lenin Chemotechnological Inst imeni D. I. Mendeleev. Moscow, 1955. (Dissertation for the Degree of Candidate in Technical Sciences)

No 1

SO: Knizhnaya Letopis', 1956, pp 102-122, 124

IVANOVSKAYA, T. YE.

USSR/Medicine - Meninges, Tuberculosis
Medicine - Streptomycin

May/Jun 48

"Pathologic Anatomy of Tubercular Meningitis Cases Treated With Streptomycin
According to L. S. Shtern's Method," A. P. Avtsyn, Docent, and T. Ye. Ivanovskaya,
Lab of Path Anat of Children's Diseases, Acad Med Sci USSR, and Path Anat Dept,
Moscow Clinical Childrens Hsp, 9 $\frac{1}{2}$ pp

"Nevropatol i Psikhiat" Vol XVII, No 3

First of two articles. Devoted to general characteristics of substantia grisen
and degeneration of meninges. Data based on study of 50 sectioned cases of tubercular
meningitis treated with streptomycin according to Academician Shtern's method.
Drawings and photographs.

PA 14/49T67

IVANOVSKAYA, T. YE.

USSR/Medicine - Meninges, Tuberculosis
Medicine - Streptomycin

May/Jun 48

"Pathologic Anatomy of Tubercular Meningitis Cases Treated With Streptomycin
According to L. S. Shtern's Method," A. P. Avtsyn, Docent, and T. Ye. Ivanovskaya,
Lab of Path Anat of Children's Diseases, Acad Med Sci USSR and Path Anat Dept, Moscow
Clinical Children's Hosp, 6 pp

"Nevropatol i Psikhiat" Vol XVII, No 3

Second of two articles. Devoted to vascular infection and encephalomalacia. Concludes
that these tubercular meningitis cases treated with streptomycin indicated that
perforating branches of internal carotid artery supplying basal ganglion was
infected.

PA 14/49768

IVANOVSKAYA, T.Ye.

Myocardial hypertrophy in hypertension. Arkh. pat., Moskva 13 no.4:
89-93 July-Aug 1951. (GML 21:2)

1. Of the Department of Pathological Anatomy (Head -- Prof. I. V. Davydovskiy, Active Member of the Academy of Medical Sciences USSR) of the Therapeutic Faculty, Second Moscow Medical Institute imeni I. V. Stalin.

IVANOVSKAYA, T.Ye.

Ependymitis in tuberculous meningitis treated with streptomycin.
Arkh. pat., Moskva 14 no.1:73-80 Jan-Feb 1952. (GLML 22:1)

1. Of the Pathologico-Anatomic Division (Scientific Supervisor -- Prof.
M. A. Skvortsov, Active Member AMS USSR), Clinical Children's Hospital
(Head Physician -- Ye. V. Prokhorovich), Moscow.

VERTSNER, V.N.; IVANOVSKAYA, T.Ye.

A case of fatal chicken pox in a one-year-old child. *Pediatrics*
no.1:78-80 Ja-F '54. (MLRA 7:3)

1. Iz detskoy gorodskoy klinicheskoy bol'nitsy No.1 (nauchnyy
rukovoditel' - deystvitel'nyy chlen Akademii meditsinskikh
nauk SSSR professor M.A.Skvortsov, glavnyy vrach Ye.V.Prokhorov-
vich). (Chicken pox)

IVANOVSKAYA, T.Ye. kandidat meditsinskikh nauk.

Birth injury with localized gastrointestinal changes. Pediatria
no.2:79-82 Mr-Apr '55. (MLRA 8:8)

1. Iz proektury Detskoy klinicheskoy bol'nitsy No.1 i Dr'skoy
bol'nitsy imeni Dzerzhinskogo (nauchnyy rukovoditel' - deystvi-
tel'nyy chlen Akademii meditsinskikh nauk SSSR prof. M.A. Skvortsov
glavnyye vrachi Ye.V. Prokhorovich i N.A. Kudryashova)

(GASTROINTESTINAL SYSTEM, wounds and injuries,

birth inj.)

(WOUNDS AND INJURIES,

gastrointestinal birth inj.)

(DELIVERY, complications,

birth inj. of gastrointestinal system)

EXCERPTA MEDICA Sec.7 Vol.11/3 Pediatrics Mar 57

552. IVANOVSKAJA T. E. 1st Clin. Hosp. for Child., Moscow. *Some data about systemic diseases of the blood-forming organs in children (Russian text) PEDIATRIJA 1955, 5 (70-76).
For an 11-year period (1943-1953) the count of cases of systemic blood diseases and of closely related diseases of the manifestly newgrowth order shows that the number of those who died from these diseases was 1.2% of the total number of deaths in this hospital. The most frequently encountered diseases of these groups in children were the acute myeloleucoses. The lympholeucoses, neither acute nor chronic, were not met with at all. The lymphosarcomatosis was comparatively frequently observed. The diseases of the haemopoietic organs were mainly observ-

Iz prazektorij 1 - YELINICHESKOY Detskoy BOL'NITSY GORODSKOY TASH-
DAYSTVITEL'NYY CHLEN AMN SSSR PROF. M. A. SKVARTSOV, GLAVNYY
ZASLUZHENNYY VRACH RSFSR YE. V. PROKHOROVICH).

552

CONT.

ed in the age group 5-10 yr. The acute myeloleucosis and lymphosarcomatosis predominated in male children. The aplastic diseases of the blood-forming organs in children took, as a rule, an acute course; they were accompanied by a marked haemorrhagic syndrome and the appearance in some cases of non-mature myeloid forms and even reticulated forms in the peripheral blood. In the majority of the cases the bone-marrow showed the appearances of proliferation of the reticular cells, which testifies to the paralysis of the maturation function of the cells of the bone-marrow, while the function of proliferation is preserved for some time and the draining function is lowered.

Uranova - Moscow (V, 7, 16)

USSR / Human and Animal Morphology, Normal and Pathologic -- Pathologic Anatomy S-7

Abs Jour: Ref Zhur-Biol. No 13, 1958, 59951

Author : Ivanovskaya, T. Ye.; Semenova, K. L.

Inst : Not given

Title : Regarding the Pathologic Anatomy of Congenital Toxoplasmosis

Orig Pub: Arkiv patologii, 1956, No 7, 18, 92-100

Abstract: The characteristic signs of congenital toxoplasmosis (T) are microcephalia, hydrocephalus, injury to the eyes, retarded psychomotor development attended by convulsive attacks, and the presence of foci of calcification on the head. Clinically undetected, acquired toxoplasmosis of the mother

Card 1/3

44

EXCERPTA MEDICA Sec 5 Vol. 10/9 Pathology Sept 57

2732. IVANOVSKAYA T. E. and SEMIONOVA K. L. Moscow. *Pathological anatomy of congenital toxoplasmosis (Russian text) ARKH. PATOL. 1956, 18/7 (92-100) Illus. 11

After a historical survey of toxoplasmosis research (mainly foreign investigators; of the Soviet Union Zasuchin and Vasina are mentioned) 6 personal cases of congenital toxoplasmosis are reported. No data are given on any diseases during pregnancy. In all the autopsied cases, spherical calcified bodies and pseudocysts

2732

were found, with necrotic areas and inflammatory phenomena in the brain. Some of the cases took an acute course, others became more chronic. The clinical and morbid-anatomical pictures corresponded to meningo-encephalitis as known from the literature. In one case there was also a secondary infection. The nature of the cerebral damage in toxoplasmosis depends on the time of intra-uterine infection. Cases of toxoplasmosis are presumed to be often overlooked, and greater care in the examination of cases with congenital cerebral affections is therefore recommended.

Brandt - Berlin

*Prozektury - Gorskoy klinicheskiy
det'skoy bol'nitsy No. 1.*

2042. CONGENITAL DISEASES OF THE EXCRETORY APPARATUS OF THE
PANCHENAS (Russian text) - Ivanovskaya T. E. and Zhukova E. K. -
ARKH. PATOL. 1958, 20/8 (55-64) Titus. 9
Three autopsied cases of congenital pancreatic disease are reported. Congenital
hypoplasia was observed in 2 girls who died at the age of 26 and 16 months.
In all 3 cases the clinical and pathological picture was similar; the former was
characterized by steatorrhea, hepatomegaly, malnutrition and infection, the
latter by fatty infiltration of the liver and by inflammatory and necrotizing lesions
in the lungs and in the intestinal tract. In all cases the insular apparatus was un-
changed. Very similar metabolic and pathological changes are obtained experi-
mentally when animals are kept alive with insulin after total pancreatectomy.
Wilson - Dearborn, Mich. (V, 6, 7)

SV. PETA. MEDIC. Sec 7 Vol 13/8 Pediatrics Aug. 59

THE GRIGOROVA, Ye.M., IVANOVSAYA, N.Ye. (Moskva)
Pathological anatomy of cytomegalic infants [with summary in English]
Arkh.pat. 20 no.10:15-25 '58
(MIRA 11:12)
1. In laboratorii po izucheniya patologicheskoy anatomii boleznay
detskogo vozrasta (sav. - deyatvitel'nyy chlen AMN SSSR prof. A.M.
Skvortsov), Instituta pediatrii AMN SSR (dir. - chlen-korrespondent)
AMN SSSR prof. O.D. Sokolova-Ponomareva) i Moskovskoy Gorodskoy
klinicheskoy detskoy bol'nitsy No.1 (glavnyy vrach - zasluzhennyy
vrach RSFSR Ye.V. Prokhorovich).
(VIRUS DISEASES, in inf. & child.
cytomegalic inclusion dis. (Rus))

IVANOVSKAIA, T. Ia.
Leukemia in children. Probl. Gemat. i perel.krov. 4 no. 11:25-27
N 59.
1. Iz praxe Detskoy moskovskoy gorodskoy klinicheskoy bol-
nitsy No. 1 (Glavnyy vrach Ia. V. Frokhorovich).
(LEUKEMIA in inf. & child.)
(MIRA 13:3)

Pathological anatomy of leukemia in children. Arkh. pat. 22
no. 10:40-47, 1960.
1. Iz prazekturny (nauchnyy rukovoditel' - deystvitel'nyy chlen
AMN SSSR prof. M.A. Skvortsov) Klinicheskoy detskoy bol'nitsy
№. 1 (glavnyy vrach - zasluzhennyy vrach RSFSR Ye.V. Prokhorovich).
(LEUKEMIA)

IVANOVSKAJA, I.Ye. (Moskva)

Acute diffuse fibrosis of the lungs in children. Arkh. pat.
24 no. 9: 59-64, 1962.
1. Iz kafedry patologicheskoy anatomii (zav. - prof. I. V.
Davydovskiy) II Moskovskogo gosudarstvennogo meditsinskogo
instituta imeni N. I. Pirogova i protsektury (zav. - kand. med.
 nauk V. M. Afanas'yeva) Moskovskoy detskoy klinicheskoy bol'-
 nitsy No. 1 (glavnyy vrach Ye. V. Prokhorovitch).

IVANOVSKAYA, T. Ye.; LEVINAS, N. O. (Moskva)

Visceral lesions in congenital toxoplasmosis. Arkh. pat. no. 12:
23-29 '63. (MIRA 17:11)
1. Iz katedry patologicheskoy anatomii (zav. - deystvitel'nyy
chlen Akad. SSSR prof. I.V. Davydovskiy) II Moskovskogo meditsin-
skogo instituta imeni Pirogova, prozektorny Detskoy klinicheskoy
bol'nitsy No. 1 (zav. otdeleyem - kand. med. nauk V.M. Afanas'-
yeva, glavnyy vrach - zasluzhennyy vrach RSFSR Ye.V. Prokhorovich)
i Rodil'nogo doma No. 7 imeni Grauertmana (glavnyy vrach Ye.I. Bu-
lanova), Moskva.

IVANOVSKAYA, T.Ye.; LEVINAS, I.O. (Moskva)

IVANOVSKAJA, T. Ye. (Moskva)
General characteristics of changes in the thymus gland in acute
leucoses in children. Arkh. pat. no. 1:64-71, 1964.
1. Iz kafedry patologicheskoy anatomii (zav. - deystvitel'nyy
chlen AMN SSSR prof. I. V. Davydovskiy) II Moskovskogo meditsin-
skogo instituta imeni Pirogova.
(MIRA 17:11)

KOGOL, T.F. (Moskva); IVANOVSKAYA, T.Ye. (Moskva); KHOKHLOVA, Z.Ye.,
(Moskva); VERULASHVILI, V.I. (Moskva)
Pathological anatomy in experimental toxoplasmosis of pregnant
animals. Arkh. pat. 27 no.6:61-67 '65.
(MIRA 19:1)
1. Kafedra patologicheckoy anatomii (ZAV. - daystvitel'nyy chlen
AMN SSSR prof. I.V. Davydovskiy) II Moskovskogo meditsinskogo
instituta imeni N.I. Pirogova i roditel'nyy dom No. 1 (glavnyy vrach
V.I. Verulashvili), Kutaisi. Submitted January 8, 1964.

BOBROVITSKIY, I.V.; IVANOVSKIY, V.D.
Installation of turbine units. Energ. stroit. no. 37:34-44. '63.
(MIRA 17:6)
1. Nachal'nik turbinogo tsekh montazhnogo uchastka tresta
"Teploenergmontazh" (for Bobrovitskiy). 2. Proizvoditel'
rabot turbinogo tsekh montazhnogo uchastka tresta "Teplo-
energmontazh" (for Ivanovskiy).

IVANOV, A. I., V. P., Applicant
"The Comparative Characteristics of Thread Seams for Joining Fabrics."
Cand Tech Sci, Moscow Technological Inst of Light Industry Imeni L.M.
Kaganovich, L. Dec 54. (VI, 3 Dec 54)
Survey of Scientific and Technical Dissertations Defended at USSR
Higher Educational Institutions (12)
Sci Sum. No. 556, 24 Jun 55


ТУРЧИНСКАЯ, Ye.P.; ИВАНОВСКАЯ, V.P.; МУЗЫЧЕНКО, G.I. (Kiyev)
Machine for the thermal processing of edges of thermoplastic
fabrics. Shveln. prom. no.2:24-27 Mr-Apr '63. (MIRA 16:8)
(Clothing industry—Equipment and supplies)
(Synthetic fabrics)

ТУРЧИНСКАЯ, Ye.P.; ИВАНОВСКАЯ, V.P.; МУЗЫЧЕНКО, G.I.; ПАВЛОВ, A.I.
(Klybv)
Machine for the thermal sealing of rectilinear cut edges of
thermoplastic fabrics. Shvein. prom. no. 6:14-17 N.D. 65.
(MIRA 18:12)

existence of a multiphase structure. Subsequent studies have shown that the
increase in the total number of shower particles. The percentage of penetrating particles
100% of the total number of shower particles are given for the
My 1977, 1978. Cosmic ray showers. Physics Abstracts.

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000619310001-0



APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000619310001-0"

*

1. Zaveduyushchiy laboratoriyey khimioterapii infekttsionnykh
zabolevaniy Vsesoyuznogo nauchno-issledovatel'skogo khimiko-
farmatsevticheskogo instituta im. Ordzhonikidze (for Pershin).
2. Zaveduyushchiy laboratoriyey metallorganicheskikh soye-
dleniy Vsesoyuznogo nauchno-issledovatel'skogo khimiko-
farmatsevticheskogo instituta im. Ordzhonikidze (for Kraft).
3. Zaveduyushchiy otdelom Tsentral'nogo kozhno-venerezo-
gicheskogo instituta (for Rozenkul). 4. Zaveduyushchiy labora-
toriyey lekarsvennykh form Vsesoyuznogo nauchno-issledovatel'skogo khimiko-
farmatsevticheskogo instituta im. Ordzhonikidze (for Milovanova, Borodina, Ivanovskaya, Aronson). 6. Tsentral'-
nyy kozhno-venereologicheskiy institut (for Kraft).

Treatment of your hair with selenium sulfide soap. Izobr.
1 rats. no. 12:32-33 (MIRA 17:2)

PERSON, G.M., prof.; KRAFT, M.Ye., prof.; ROZENKUL, M.A., prof.;
POZHARSKAYA, A.M., starshiy nauchnyy sotrudnik;
MILOVANOVA, S.N., starshiy nauchnyy sotrudnik; BORODINA, G.M.,
starshiy nauchnyy sotrudnik; MASLOV, P.Ye., starshiy nauchnyy
sotrudnik; IVANOVSKAYA, Ye.A., mladshiy nauchnyy sotrudnik;
ARONSON, P.Yu., mladshiy nauchnyy sotrudnik; KANCHUKH, Sh.F.,
SHEYER, A.A.; ZALIOPO, M.P., spetsialist po moyushchim sredstvam

glycerine as a filler in tablet making. Med. prom. 17 no. 9:24-25
(MIRA 17:5) S.63.

IVANOVSKAYA, Ye.A.; CHERNYAVAYA, V.A.; POZHARSKAYA, A.M.

IVANOVSKAYA, T. N. "The effect of white streptococci and of soluble and on the
phagocytic activity of the leucocytes and on certain inter-colonial enzymes",
Trudy SSSR, ser. med. nat. Vol. VI, 1971, p.203-11.
So: U-4631, 16 Sept. 53, (Lectures, Zhurnal' Nats. Staty, No. 2, 1959).

so: U-4631, 14 Sept. 53, (Lecopis, 'Zimnial' with State, No. 20, 19-9).
Ivanovskaya, Vol. II, "The Journal of Blood H. with the State of
Shoch", Study State, 1953, Vol. VI, 1953, p. 213-19.

IVANOVSKAYA, Vol. II.

IVANOVSKAJA, Ye.M.; NIKOLAYEVA, N.I.
Influence of zinc and copper salts on blood coagulability,
morphological composition, and bleeding time. Trudy Ser.
Kos. med. Inst. 26:10-11, 59.
(MIRA 14:2)
1. Sarnitovskiy meditsinskiy Institut, kafedra normal'noy
fizologii (zav. prof. Ye.S. Ivanitskiy-Vasilenko).
(COPPER SALTS—PHYSIOLOGICAL EFFECT)
(ZINC—PHYSIOLOGICAL EFFECT) (BLOOD—COAGULATION)
(HEMORRHAGE)

Influence of manganese chloride on the hemostatic function of the
body. Trudy Ser. gos. med. inst. 26:12-16:59.
(MIRA 14:2)
I. Sarnitovskiy meditsinskii institut, kafedra normal'noy
fiziologi (zav. prof. Ye. S. Ivanitskiy-Vasilenko).
(CHLORIDES—PHYSIOLOGICAL EFFECT) (BLOOD—COAGULATION)

IVANOVSKAYA, Ye. M., NIKOLAYEVA, N. I.

Prothrombin level and blood coagulability in white rats at various
ages. Trudy Sar. gos. med. inst. 26:20-21, 59.
(MIRA 14:2)
1. Saratovskiy meditsinskiy institut, kafedra normal'noy fiziolo-
gii (zav. prof. Ye. S. Ivanitskiy-Vasilenko).
(PROTHROMBIN) (BLOOD—COAGULATION)

NIKOLAYEVA, N.I.; IVANOVSKAYA, Ye.M.

GEORGIEVA, S.A., prof.; BELIKINA, N.V.; ZHELOVA, O.P.; IVANOVSKAJA,
Ye.M.; PROKOF'YEVA, L.I.; PROSTYAKOVA, V.I.
[Manual for the practical study of normal physiology] Ucheb-
noe posobie k prakticheskim zaniatiyam po normal'noi fiziolo-
gii. Sost.S.A.Georgieva i dr. Saratov, 1963. 148 p.
I. Saratov. Meditsinskij institut.
(MIRA 17:3)

"A Haploid Plant of Solanum Tuberosum L.," Dokl. AS USSR, 24, Nos. 4-5, 1939

IVANOVSKAYA, Ye. V.

"Cytological Study of Solanum Milland Buk. et Lochm., Dokl. AN SSSR 24,
Nos. 4-5, 1939
Inst. Plant Industry, Dept. Tuber-Yielding Plants

IVANOVSKAYA, Ye. V.

Grain Inst for Non-Black Soil Zone

"Hybrid Embryos of Cereals Grown on Artificial Nutrient Medium," Dokl. AN
SSR, 54, No. 5, 1946.

IVANOVSKAYA, Ye. V.

Structure of the caryopsis of the triplicate floret of the
Triticum-Aegropyron hybrid. Biol. Glas. bot. sada no. 18:91-94, 194.
(MIRA 8:3)
1. Zonal'nyy institut zernovogo khozyaystva necheskoye polosy.
(Triticum-aegropyron hybrids)

IVANOVSKAYA, Ye. V.

IVANOVSKAIA, Ye. V.
Crossbreeding of the tomato and the tree tomato. Biol. Glav.
bot. suda no. 19:57-63 1954.
1. Zonal'nyy institut sernovogo khozyaystva nechernozemnoy
polosy.
(Tomatoes) (Tree tomatoes)

"Germination of Strand-Wheat Embryos in Artificial Culture Medium." Moscow
Order of Lenin State U Iment M. V. Lomonosov, Biology and Soil Division,
Moscow, 1955. (Dissertation for the Degree of Candidate of Biological
Sciences)

SO: M-972, 20 Feb 56

IVANOVSKAYA, YR. V.

IVANOVSKAYA YR V

Endosperm structure of caryopses produced by crossing wheats
(*Triticum durum* and *T. vulgare*) with lime grasses (*Elymus arenarius*
and *E. giganteus*) [with summary in English]. Bot. zhurn. 44 no. 1:
19-34 de, 1959.
I. Koskoveckiy gosudarstvennyy universitet imeni M. V. Lomonosova.
(Wheat) (Lime grass) (Seeds--Anatomy)

IVANOVSKAYA, Ye. V.

IVANOVSKAIA, Ye. V.
Structure of ovules and nature of polyembryony in the "Papirova"
apple. Nauch. dokl. vys. shkoly; biol. nauki no. 1:99-102 '60.
(MIRA 13:2)
1. Rekomendovana katedroy genetik i selektsii Moskovskogo gosudar-
stvennogo universiteta im. M.V. Lomonosova.
(Apple) (Ovaries (Botany))

IVANOVSKAYA, Ye.V.; ORLOVA, I.N.
Data on the variability of the apple tree; embryological investi-
gation. Nauch. dokl. vys. shkoly; biol. nauk no. 1:182-188
161.
(MIRA 14:2)
1. Nekomandovaya katedroy genetik i selektsii Moskovskogo
gosudarstvennogo universiteta im. M.V. Lomonosova.
(APPLE) (BOTANY--VARIATION)

IVANOVSKAJA, Ye.V.
Embryology of the apple tree. Report No.1. Nauch. dokl. vyb.
shkoly; biol. nauk no.1:109-115 '62.
(MIRA 15:3)
1. Rekomendovana kafedroy genetiki i selektsii Moskovskogo
gosudarstvennogo universiteta im. M.V. Lomonosova.
(APPLE)
(BOTANY--EMBRYOLOGY)

IVANOVSKAYA, Ye.V.; PROKOF'YEVA, Z.D.
Polyteny in the nuclei of wheat antipods. Dokl. AN SSSR 152
no.2:446-449 S '63.
(MIRA 16:11)
1. Moskovskiy gosudarstvennyy universitet im. M.V. Lomonosova.
Predstavleno akademikom A.N. Belozerskim.

STOLETOV, V.N.; IVANOVSKAYA, Ye.V.
Interaction between the nucleus and cytoplasm in the endosperm
of a wheat ovary damaged by a bite. Izv. AN SSSR. Ser. biol.
29 no.1:81-97 Ja-F'64
(MIRA 17:3)
1. Moskovskiy gosudarstvennyy universitet, biologo-pochvennyy
fakul'tet.

Disturbance of tissue differentiation in hybrid systems; in
the embryos and endosperm of wheat and rye. Dokl. AN SSSR
197 no. 1:219-222 JL 164
1. Moskovskiy gosudarstvennyy universitet im. M.V. Lomonosova.
Prestavleno akademikom N.V. Tsitsinym.
(MIRA 17:8)

IVANOVSKAJA, Ye.V.

IVANOVSKAYA, Ye.V.
Resorption of the pollen tube plasma in the embryo sac of
wheat. Nauch. dokl. vya. shkoly; biol. nauk no.4:93-95, '66.
(MIRA 17:12)
I. Naikomenchova kal'droy genetik i selektsii Moskovskogo
gosudarstvennogo universiteta im. M.V. Lomonosova.

1. Biologo-pochvennyy fakul'tet Moskovskogo gosudarstvennogo
universiteta.

Ontogeny of the aleurone layer of the caryopsis of wheat
and its hybrids. Izv. AN SSSR. Ser. biol. no. 6: 848-858
N-D 1965.
(MIRA 18:11)

IVANOVSKAYA, Ye. V.

increase the role and importance of collective agreements.
involved. 3 oth. nedr 31 no.1:00-63 ja 165.
(MIRA 18:3)
1. Tsentral'nyy komitet professional'nogo soyuza rabochikh
Geologov razvedochnykh rabot.

IVANOVSKAYA, Z. I.

Card 1/1

SOV-132-58-8-11/16
AUTHORS: Deneshchikov, L.Ye. and Ivanovskaya, Z.I.
TITLE: Wages of Workers of Drilling Brigades in Relation to Standardized Categories of Rocks (Oplata truda rabochikh burov-ykh brigad po usrednennym kategoriyam gornykh porod)
PERIODICAL: Razvedka i okhrana nedr, 1958, Nr 8, pp 51-54 (USSR)
ABSTRACT: To avoid loss of time in calculating the wages to be paid to workers drilling bore holes in rocks of different hardness, standardized categories of rocks were established for each mine separately. There are 2 tables.
ASSOCIATION: Tak profsoyuzna rabochikh geologorazvedochnykh rabot (Central Committee of the Trade Union of Geological Prospecting Workers)
1. Rock--Classification 2. Mines--Operation 3. Employee relations

Card 1/5

In connection with the decision of the December plenary session of the central committee of the CPSU on the increased role of the Trade-Unions in the struggle for the building of the communist state, the rights of trade-unions in industrial organizations and institutions were considerably widened. The trade-union of Geological workers of Eastern Siberia increased its activity. On the initiative of the working team of the Lugovskaya geologorazvedochaya partiya Mama-Chuyskoy ekspeditsii (Lugovskaya Geological Prospecting Team of the Mama-Chuya Expedition) (Head of the Team - A.V. Smirnov) the Irkutskoye geologicheskoye upravleniye (the Irkutsk Geological Directorate) opened a socialist competition for the creation of a "Fond mineral'nogo syr'ya i ment

ABSTRACT:

PERIODICAL: Razvedka i okhrana nedr, 1959, Nr 7, pp 56-58 (USSR)

TITLE: For a wider Participation of Workers in the Production Management

AUTHORS:

Kuz'yan, N.Ye. and Ivanovskaya, Z.I.

22(4)

SOV/132-59-7-14/17

Card 2/5

semlitnogo plana" ("Fund of Mineral Raw Material
Team promised to increase the reserves of mineral raw
materials 40 to 45% more than foreseen for the first
year of the Seven Year Plan. This initiative was ap-
proved by the board of the East-Siberian Territorial
Committee of the Trade-Union, and by the Board of the
Irkutsk Geological Directorate. Thirty-two brigades
are taking part in this competition. Mining brigades
of the Slyudyanskaya ekspedititsiya (Slyudyanka Expedi-
tion) led by I.S. Vikhlyayev and T.F. Kravchenko,
drilling brigades of the Irkutsk Vostsibneftegeologiya
(the Vostsibneftegeologiya Trust) led by drilling
masters V.M. Danchin and P.M. Korshunov, and the drill-
ing detachment of the Sogdiondonskaya Team led by
V.L. Novopavshin, and many others took a pledge to
work, study and live according to communist ideals.
On the initiative of the Irkutsk Geological Directorate
and the Irkutskaya Oblast' Committee of the VIKSM a
komsomol-youth drive for mineral deposits was organized

For a wider participation of workers in the Production Management
SOV/132-59-7-14/17

For a wider Participation of Workers in the Production Management
 SOV/132-59-7-14/17

In 1958. More than 20,000 men took part in this drive, and the Irkutsk Geological Directorate is checking about 200 claims of discovery of mineral deposits. This initiative was approved by the Ministerstvo Geologii i Otkrytiy Nedr SSSR (Ministry of Geology and Conservation of Mineral Resources of the USSR), by the Central Committee of the Trade-Union of Geological and Prospecting Workers and by the Central Committee of VIKSM. This drive will again be repeated in 1959. For the organization of the drive, 27 persons received honorary diplomas, among them the teacher of the Shalekhovo secondary school S.F. Sitnikov, the secretary of the Irkutskaya Oblast' Committee of VIKSM, A.I. Golovnykh, and the head of the Lugovskoye Team of the Mama-Chuya Expedition, V.T. Kileso. Twenty-four participants received the badge of "Excellent Worker of the Socialist Competition of the Ministry of Geology and Conservation of Mineral Resources of the USSR." Special permanent production conferences have been organized throughout Eastern Siberia, at which plans for a better organization

Card 3/5

ASSOCIATION: Vostochno-Sibirskiy territorial'nyy komitet profsoyuzov
(The East-Siberian Territorial Committee of the Trade-
Union) (N.Ye. Kuz'yan) Card 4/5

of work have been worked out. The production conference
of the Irkutskaya Geologopopovskaya ekspeditsiya (Irkutsk Geological Explora-
tory Expedition of the Vostsibneftegeologiya Trust)
(Chairman - Tsakhnovskiy) discusses all the problems
connected with the organization of geological opera-
tions, methods of work, etc. The production conference
of the Cartographic Factory (Chairman - Zdobnikov)
is discussing all production problems and the intro-
duction of new working methods, and is examining new
rationalizing propositions. New methods introduced by
the production conference of the Lugovskaya Geological
Prospecting Team. Permitted a 54% reduction in the
price of 1 ton of mica.

SOV/132-59-7-14/17 For a wider participation of workers in the Production Management

Card 5/5

For a wider Participation of Workers in the Production Management
SOV/132-59-7-14/17
Task profsoyuzna rabochikh geologorazvedochnykh rabot
(Central Committee of the Trade-Union of Geological
and Prospecting Workers) (Z.I. Ivanovskaya)

SIDORCHUK, P. Ye; IVANOVSKAYA, Z. I.
Consolidation and dissemination of progressive practices in the
Krivoy Rog Basin Geological Trust. Hazved. 1 ch. nedr 26 no. 10:49-
51 0 60.
1. Vest "Krivbasbdeologiya" (for Sidorchuk). 2. Sentral'nyy
komitet proispyusa rabochikh geologorazvedochnykh rabot (for
Ivanovskaya).
(Prospecting)

IVANOVSKAYA, Z.I.
Improve practical aid to agriculture. Razved. i okh. nedr. 27
no.10:60-62 0 '61.
(MIRA 15:3)
1. Tsentral'nyy komitet professional'nykh soyuzov rabochikh
geologorazvedochnykh rabot.
(Water supply, Rural)

GRIMBERG, A.M.; IVANOVSKAYA, Z.I.
Improve the quality of geophysical prospecting apparatus and
equipment. Harvested. 1 okh. near 27 no.3:60-62 Mt. 61.
(MIRA 14:5)
1. Vystavka dostizheniy narodnogo khozyaystva SSSR (for Grimberg).
2. Tsentral'nyy komitet profsoyuzov rabochikh geologorazvedchikov
rabot (for Ivanovskaya).
(Prospecting--geophysical methods)

IVANOVSKAYA, Z. I.
Competing for the title of collective of communist labor. Passed.
1 okh. near 28 no. 5:60-61 My '62.
(MIRA 15:10)
1. Tsentral'nyy komitet professional'nogo soyuza rabochikh
geologorazvedochnykh rabot.
(Prospecting)

CHERNIK, P.Ye.; IYAKHOVSKAYA, Z.I.
Participation of the masses in production control. Razved. 1
okn. near 11 no. 1: 16-57 p. 165.
1. Ukrainskiy respublikanskiy komitet professional'noy soyuzn
rabochikh geologov i geotekhnicheskikh rabot (for Chernik).
nyy komitet professional'noy soyuzn rabochikh geologov i geotekhnicheskikh
rabot (for Iyakovskaya).

IVANOVSKAYA-SHUBINA, O.I.
Materials on plant lice in Tomsk Province. Trudy Biol. Inst.
Sib. otd. AN SSSR no. 10:63-71. 1963.
A new species of jumping plant lice (Homoptera, Aphidoidea)
from central Kujunda. Ibid.: 72-76 (MIRA 17:5)

IVANOVSKIS, Volodimirs; MITRIS, Pavels; SUBACS, Arnolds; RUZZITIS,
Raimonds; HASMANIS, Otto; VULFSONE, E., red.; AIZUPLETE, M.,
tekm. red.
[Weldp's handbook] Metinataja rokagratmata. [By] V. Ivanovskis
un citl. Riga, Latvijas Valsts izdevnieciba. Vol. 2. 1963. 270 p.
(MINA 16:4)
(Welding)

Boundary between the Silurian and Devonian. Dokl. AN SSSR
166 no.1:171-174. Ja '66.
(MIRA 19:1)

1. Institut geologii i geofiziki Sibirskogo otdeleniya AN
SSSR. Submitted August 13, 1965.

IVANOVSKIY, A.B.

IVANOVSKIY, Andrey Borisovich; SOKOLOV, B.S., ed.
[Stratigraphic and paleogeographic survey of Ordovician
and Silurian Rugosa] Stratigraficheski i paleogeograficheski
obzor rugoz ordovika i silura. Moskva, Nauka, 1965. 117 p.
(MIRA 18:12)

Pseudocampophyllus, a new genus of Rugosa from the Bays series
of the South Minusinsk Basin. Trudy VNIIGRI no. 124: 341-347, 1958.
(MIRA 16:7)

(Minusinsk Basin-Rugosa)

IVANOVSKIY, A.B.

- 20 -

IVANOVSKIY, A.B., and Geol Min Set -- (diss) "Silurian *Recess*
of the Western Siberian platform and their biostratigraphic
importance." Len, 1959, 15 pp (Min of Higher Education USSR.
Len Orders of Lenin and Labor and Banner Mining Inst G.P.
Plekhanov) 110 copies (KL, 35-59, 112)

IVANOVSKIY, A.B.
Certain colonies rugosa corals from the Sukhaya Tunguska River.
Trudy SNIIGIIMS no.2:135-143 '59.
(Sukhaya Tunguska--rugosa.)
(MIRA 12:11)

Card 1/2

ABSTRACT:

PERIODICAL:

TITLE:

AUTHOR:
3 (0)

Ivanovskiy, A. B.

SOV/20-125-3-42/63

On the question of Stratigraphic Position of the
Part of the Siberian Platform (K voprosu o stratigraficheskom
polozhenii nizhneldovskogo pod'yarsa v predelakh zapadnoy
chasti Sibirskoy platformy)

Doklady Akademii nauk SSSR, 1959, Vol 125, Nr 3, pp 614-615
(USSR)

The upper part of the Silurian limestone section is assigned
to the mentioned substage in the region named in the title
according to the scheme existing at present (Refs 1,2). Topical
geological investigations have been carried out here since 1955
by the Yeniseyskaya ekspeditsiya (Yenisey Expedition, directed
by S. P. Mikutskiy). The author identified the Silurian Rugsas,
which were collected by himself and members of the expedition.
On the basis of the identifications he arrives at the conclusion
that the masses mentioned in the title would be better and more
precisely assigned to the upper part of the Wenlockian Stage of
the lower Silurian rather than to the Ludlovian Stage of the

On the Question of Stratigraphic Position of the SOV/20-125-3-42/63
Nizhneludlovskiy (Lower Ludlovian) Substage Within the Western Part of the
Siberian Platform

Upper Silurian. He criticizes the use of the ostracoda found there (Ref. 1) for stratigraphic conclusions and for the correlation of sections. There is of course a countless number of new forms, however, the older are lacking. The coelenterate fauna has an early Silurian character. This would be, in the author's opinion, further proof that this mass should be placed in the Upper Wenlockian. There are 2 Soviet references.

ASSOCIATION: Sibirskiy nauchno-issledovatel'skiy institut geologii, geofiziki i mineral'nogo syr'ya (Siberian Scientific Research Institute of Geology, Geophysics, and Mineral Raw Materials)

PRESENTED: December 7, 1958, by A. L. Yanshin, Academician

SUBMITTED: December 2, 1958

Card 2/2

3(5)

SOV/20-125-4-58/74

AUTHOR:

Ivanovskiy, A. B.

TITLE:

On the Taxonomic Position of Ordovician and Silurian Zaphrentis Corals (K voprosu o sistematicheskoy polozenii ordovikskikh i siluriyskikh zafrentoidnykh korallov)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 125, Nr 4, pp 895 - 897 (USSR)

ABSTRACT:

In spite of a vast distribution the taxonomy and phylogeny of the Silurian Rugosa corals are still to an only very small extent investigated. The solution of the problems of taxonomy would, however, clarify the biostratigraphic importance of the Rugosa. On the strength of his own investigations of the Siberian Rugosa and on the strength of other publications the author revised partly the taxonomy of the tetrastrate corals mentioned in the title. He succeeded in indicating a certain phylogenetic series among the latter. The author refers to it as a family - Protozaphrentidae fam. n., describes and illustrates it. (Figs 1,2). The following genera belong to this family: Protozaphrentis Yu, Archaeozaphrentis Ivan. (in litt.), as well as Tungusozaphrentis gen. n. (Fig 1). The evolution of the aforesaid phylogenetic branch can be fol-

Card 1/2

On the Taxonomic Position of Ordovician and Silurian
Zaphrentis Corals SOV/20-125-4-58/74

lowed from the Middle Ordovician up to the late Silurian.
Tungussophyllum gen. n. was created for the genera Zaphrentis
conulus, obesa, vortex, and stockesi. The position of Z. co-
nulus to Rhagmaphyllum (Ref 3) is scarcely confirmed. The clas-
sification (I - V, Refs 2,3) and the evolution direction of
the corals in question are given. There are 2 figures and 5
references, 1 of which is Soviet.

ASSOCIATION: Sibirskiy nauchno-issledovatel'skiy institut geologii, geo-
fiziki i mineral'nogo syr'ya (Siberian Scientific Research In-
stitute of Geology, Geophysics, and Mineral Raw Materials)

PRESENTED: December 7, 1958, by A. L. Yanshin, Academician

SUBMITTED: December 2, 1958

Card 2/2

IVANOVSKIY, A.B.

Recent data on the systematics of Ordovician and Silurian
zaphrentids. Paleont.zhur. no.2:35-39 '60.
(MIRA 13:7)

1. Sibirskiy nauchno-issledovatel'skiy institut geologii,
geografii i mineral'noye syr'ya Akademii nauk SSSR.
(Corals, Fossil)